

Color laser printer HP Color LaserJet 95xx/MFP

Holder

Hewlett-Packard Sverige AB, 169 85 Stockholm. Tel: 08 – 524 910 00.

Product

Color laser printer HP Color LaserJet 95xx/MFP with toner designated C8550a black, C8551a cyan, C8552a yellow and C8553a magenta and with processing temperature 180 °C.

Characteristics/class

This certificate relates to single and double sided documents produced on permanent and archival paper with grammage 80.

Specification of requirements

The Swedish National Archives regulations concerning technical requirements for copying machines, laser printers telefaxes etc. for recording on paper documents (RA-FS 1992:6) and SS-ISO 11798 Information and documentation – Permanence and durability of writing, printing and copying on paper – Requirements and test and SP's certification rules SPCR 004 (SP Report 1994:15).

Testing

Testing has, with permission from the Swedish National Archives, been performed according to SS-ISO 11798 Information and documentation – Permanence and durability of writing, printing and copying on paper – Requirements and test, by SP, Borås. The results have been described in SP's report No. F3 22265-3 (December 9, 2003) and F5 23172-12 (December 5, 2005).

Marking

Each product shall be marked with an unambiguous product designation. Marking of the product or package may also include the words 'Svenskt arkiv' and/or certification symbol (see below).


Validity

Until and including December 12th, 2006

Borås December 7, 2005

SP Swedish National Testing and Research Institute Certification


Lennart Månsson
Certification Manager


Margareta Antonsson
Technical Officer



1002
EN 45 011

Certifikat utfärdat av ackrediterat certifieringsorgan

SP Sveriges Provnings- och Forskningsinstitut AB

Postadress	Tfn / Fax	Org.nummer	E-post / Internet
SP	033-16 50 00	556464-6874	info@sp.se
Box 857	033-13 55 02		www.sp.se
501 15 Borås			

Akkrediterade certifieringsorgan utses av SWEDAC (Styrelsen för ackreditering och teknisk kontroll), enligt lag.
Detta certifikat får endast återges i sin helhet, om inte SP i förväg skriftligen godkänt annat